

BALZO LG SERIES – SPOTLIGHT



1800K to 4000K

2200K to 5000K

2700K to 6500K

RGBW


SPECIFICATIONS

Wattage	9 Watts	10 Watts
Lumens Range	360 - 400 Lm	250 Lm
Beam Angle	40°	
LED CRI	≥95Ra	
Input Voltage	48 Volts, RJ45	
LED Type	CTM-9 /Luminus	
Housing material	Aluminum	
Dimensions	Ø50*H184.08mm	
Certifications	cULus	
Compatible Decoder	DMX-SR-2112 Decoder	
Power Supply	PS-SR2112-96 - Power Supply 96W	
Working Temperature	-25C to 40C	
IP Grade	IP68	
Lifespan	50,000 Hours	
Warranty	3 Year Limited Warranty	


PRODUCT CODES

BALZO-9W-BR-18-40K-LG-40-AL	BALZO-9W-BR-18-40K-LG-40-AL
BALZO-9W-BR-18-40K-LG-40-B	BALZO-9W-BR-18-40K-LG-40-B
BALZO-9W-BR-18-40K-LG-40-SS	BALZO-9W-BR-18-40K-LG-40-SS
BALZO-9W-BR-27-65K-LG-40-AL	BALZO-10W-RGBW-LG-40-AL
BALZO-9W-BR-27-65K-LG-40-B	BALZO-10W-RGBW-LG-40-B
BALZO-9W-BR-27-65K-LG-40-SS	BALZO-10W-RGBW-LG-40-SS

FRONT VIEW




DIMENSIONS




PHOTOMETRIC INFORMATION / 40D

COLOR TEMPERATURE / 1800K - 4000K

Luminous Intensity Distribution Curve




Illuminance at a Distance




PHOTOMETRIC INFORMATION / 40D

COLOR TEMPERATURE / 2700K - 6500K

Luminous Intensity Distribution Curve




Illuminance at a Distance



PHOTOMETRIC INFORMATION / 40D

COLOR TEMPERATURE / RGBW



Illuminance at a Distance

